

Mack & Co.

SOLE MANUFACTURERS
GENVINE



PLANES, EDGE TOOLS, ETC.

ROCHESTER, N. Y.

PRICE LIST

. . . OF . . .

GENUINE

“D. R. BARTON”

PLANES, EDGE TOOLS, &c.

MADE ONLY BY

MACK & CO.

18 BROWN'S RACE,

ROCHESTER, N. Y.



ALL TOOLS STAMPED AS ABOVE ARE FULLY WARRANTED.

GOODS WILL NOT BE SENT "C. O. D."

Please Read the Following:

DIRECTIONS FOR ORDERING TOOLS

Designate the tools by the name used in the Catalogue and give the Catalogue numbers.

Goods will not be sent C. O. D. All orders must be accompanied by Draft on New York, Post Office Order or Cash in Registered Letter.

Do not send checks on local banks.

WARRANTY

Our tools are warranted free from flaws and not soft. Defective tools, when returned to us express or freight prepaid, will be made good or replaced by new ones. Goods which show evidence of having been a long time in use, and are nearly worn out, will not be taken back on warranty.

PRICE LIST

OF

GENUINE

“D. R. Barton” Edge Tools.

PLANES.

All *genuine* D. R. Barton Planes are made from second-growth white beech, thoroughly air-seasoned, and the irons are guaranteed to be the best in the world. Every iron is fully warranted. See that our trade mark is on each wood and on the iron.



SMOOTH PLANES—2 to 2¼ inch Iron.

| | |
|--|--------|
| 1, Smooth Plane, single iron | \$0.70 |
| 2, Smooth Plane, double iron | .90 |
| 2a, Smooth Plane, double iron, appletree | 1.50 |



| | |
|---|--------|
| 2b, Smooth Plane, double iron, handled | \$1.50 |
| 3, Smooth Plane, double iron, solid handle | 1.75 |
| 3a, Smooth Plane, double iron, solid boxwood | 2.50 |
| 3b, Smooth Plane, double iron, solid boxwood, handled | 5.00 |
| 3c, Smooth Plane, double iron, rosewood | 2.25 |
| 3d, Smooth Plane, double iron, rosewood, handled | 4.00 |

JACK PLANES—2 to 2¼ inch Iron.



- | | |
|----------------------------------|--------|
| 4, Jack Plane, single iron | \$0.85 |
| 5, Jack Plane, double iron | 1.00 |



- | | |
|--|--------|
| 4a, Jack Plane, single iron, razee | \$1.10 |
| 5a, Jack Plane, double iron, razee | 1.20 |
| 6, Fore Plane, or Short Jointer, single iron | 1.40 |
| 7, Fore Plane, or Short Jointer, double iron | 1.70 |
| 6a, Fore Plane, or Short Jointer, single iron, razee | 1.70 |
| 7a, Fore Plane, or Short Jointer, double iron, razee | 1.90 |
| 8, Long Jointer, 26 inches, single iron | 1.50 |
| 9, Long Jointer, 26 inches, double iron | 1.80 |
| 9b, Long Jointer, 28 inches, double iron | 1.90 |
| 9c, Long Jointer, 30 inches, double iron | 2.15 |
| 8a, Long Jointer, 26 inches, single iron, razee | 1.80 |
| 9a, Long Jointer, 26 inches, double iron, razee | 2.05 |
| Long Jointer, 28 inches, double iron, razee | 2.15 |
| Long Jointer, 30 inches, double iron, razee | 2.40 |



- | | |
|--|--------|
| 10, Mitre, or Block Plane, square, single iron, 1 7/8 inches | \$0.75 |
| 10a, Mitre, or Block Plane, oval, single iron 1 7/8 inches | .75 |
| 11, Mitre, or Block Plane, square, double iron, 1 7/8 inches | 1.00 |
| 11a, Mitre, or Block Plane, oval, double iron, 1 7/8 inches | 1.00 |
| Bench Planes, 4 in set, double iron | 5.40 |
| Bench Planes, 4 in set, double iron, razee | 6.90 |

MATCH PLANES AND BEADS.



12, Match Planes, $\frac{3}{8}$, $\frac{1}{2}$, $\frac{5}{8}$, $\frac{3}{4}$, $\frac{7}{8}$, 1 inchper pair, \$1.50

13, Match Planes, plated, $\frac{3}{8}$, $\frac{1}{2}$, $\frac{5}{8}$, $\frac{3}{4}$, $\frac{7}{8}$, 1 inchper pair, 1.75



14, Match Planes, handled, $\frac{1}{2}$, $\frac{5}{8}$, $\frac{3}{4}$, $\frac{7}{8}$, 1 inchper pair, \$2.25

15, Match Planes, handled, plated, $\frac{1}{2}$, $\frac{5}{8}$, $\frac{3}{4}$, $\frac{7}{8}$, 1 inchper pair, 2.50

16, Match Planes, handled, $1\frac{1}{4}$, $1\frac{1}{2}$ inchper pair, 2.75

17, Match Planes, handled, plated, $1\frac{1}{4}$, $1\frac{1}{2}$ inchesper pair, 3.00



20, Beads, single boxed.

| $\frac{1}{8}$ | 3-16 | $\frac{1}{4}$ | 5-16 | $\frac{3}{8}$ | 7-16 | $\frac{1}{2}$ | $\frac{5}{8}$ | $\frac{3}{4}$ | $\frac{7}{8}$ | 1 | $1\frac{1}{4}$ | $1\frac{1}{2}$ inch |
|---------------|------|---------------|------|---------------|------|---------------|---------------|---------------|---------------|-----|----------------|---------------------|
| .50 | .50 | .50 | .50 | .50 | .50 | .50 | .55 | .55 | .70 | .70 | .90 | 1.00 |



21, Beads, double boxed.

| $\frac{1}{8}$ | 3-16 | $\frac{1}{4}$ | 5-16 | $\frac{3}{8}$ | 7-16 | $\frac{1}{2}$ | $\frac{5}{8}$ | $\frac{3}{4}$ | $\frac{7}{8}$ | 1 | $1\frac{1}{4}$ | $1\frac{1}{2}$ inch |
|---------------|------|---------------|------|---------------|------|---------------|---------------|---------------|---------------|-----|----------------|---------------------|
| .60 | .60 | .60 | .60 | .60 | .60 | .60 | .65 | .65 | .80 | .80 | 1.00 | 1.10 |

22, Beads, solid box, dovetailed.

| $\frac{1}{8}$ | 3-16 | $\frac{1}{4}$ | 5-16 | $\frac{3}{8}$ | 7-16 | $\frac{1}{2}$ | $\frac{5}{8}$ | $\frac{3}{4}$ | $\frac{7}{8}$ | 1 inch |
|---------------|------|---------------|------|---------------|------|---------------|---------------|---------------|---------------|--------|
| .70 | .70 | .70 | .70 | .80 | .80 | .80 | .90 | .90 | 1.00 | 1.00 |



23, Center Beads.

| $\frac{1}{8}$, | $\frac{1}{4}$, | $\frac{3}{8}$, | $\frac{1}{2}$, | $\frac{5}{8}$, | $\frac{3}{4}$, | $\frac{7}{8}$, | 1 inch |
|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|--------|
| .60 | .60 | .60 | .60 | .65 | .65 | .75 | .75 |

RABBET PLANES.



24, Skew Rabbets.

| $\frac{1}{2}$, | $\frac{5}{8}$, | $\frac{3}{4}$, | $\frac{7}{8}$, | 1, | $1\frac{1}{8}$, | $1\frac{1}{4}$, | $1\frac{1}{2}$, | $1\frac{3}{4}$, | 2 inch |
|-----------------|-----------------|-----------------|-----------------|-----|------------------|------------------|------------------|------------------|--------|
| .60 | .60 | .60 | .60 | .60 | .65 | .65 | .70 | .80 | .90 |





25, Square Rabbets.

| $\frac{1}{2}$, | $\frac{5}{8}$, | $\frac{3}{4}$, | $\frac{7}{8}$, | 1, | $1\frac{1}{8}$, | $1\frac{1}{4}$, | $1\frac{1}{2}$, | $1\frac{3}{4}$, | 2 inch |
|-----------------|-----------------|-----------------|-----------------|-----|------------------|------------------|------------------|------------------|--------|
| .60 | .60 | .60 | .60 | .60 | .65 | .65 | .70 | .80 | .90 |

26, Jack Rabbets, 1 spur, 2, $2\frac{1}{4}$, $2\frac{1}{2}$ incheseach, \$1.5027, Jack Rabbets, 2 spurs, 2, $2\frac{1}{4}$, $2\frac{1}{2}$ incheseach, 1.70

28, Side Rabbetsper pair, 2.25

GROOVING PLOWS, (All Screw Stop.)

| | |
|--|----------------|
| 29, Beech Plow, box arms, 8 irons | \$ 6.25 |
| 30, Beech Plow, handled, box arm sand fence, 8 irons | 8.00 |
| 31, Beech Plow, handled, box arms, 8 irons | 7.75 |
| 32, Boxwood Plow, not handled, 8 irons | 8.00 |
| 33, Boxwood Plow, handled, 8 irons | 10.00 |
| 34, Rosewood Plow, handled, 8 irons | 10.00 |
| 35, Rosewood Plow, not handled, 8 irons | 8.00 |
| Boxwood Plow Arms | per pair, 1.75 |

FILLETTSTERS.

| | |
|--|--------|
| 39, Fillettster, side stop | \$1.25 |
| 40, Fillettster, side stop, box-faced | 1.50 |
| 41, Fillettster, screw stop, box-faced | 2.50 |



| | |
|---|--------|
| 42, Fillettster, screw stop, box-faced, handled | \$3.75 |
|---|--------|

MOULDING TOOLS.**44 Quarter Rounds**

| $\frac{1}{4}$, | $\frac{3}{8}$, | $\frac{1}{2}$, | $\frac{5}{8}$, | $\frac{3}{4}$, | $\frac{7}{8}$, | 1, | $1\frac{1}{4}$ inch. |
|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----|----------------------|
| .50 | .50 | .50 | .50 | .65 | .65 | .65 | .70 |



45, Stair Covs, or Scotias.

| $\frac{1}{4}$, | $\frac{3}{8}$, | $\frac{1}{2}$, | $\frac{5}{8}$, | $\frac{3}{4}$, | $\frac{7}{8}$, | 1, | $1\frac{1}{4}$ inch. |
|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----|----------------------|
| .50 | .50 | .50 | .50 | .65 | .65 | .65 | .70 |



| | |
|--|--------|
| 46, Sash Plane, (oval or bevel,) 2 irons | \$1.00 |
| 47, Sash Plane, (oval or bevel,) moving, 2 irons | 1.75 |
| 48, Sash Plane, (oval or bevel,) screw arms, boxed | 2.25 |
| 49, Coping Plane, (oval or bevel,) single | .45 |
| 50, Coping Plane, (oval or bevel,) double | .75 |



| | |
|--|---------------------------|
| 51, Hollows and Rounds, to No. 12..... | per pair, \$1.00 |
| Hollows and Rounds, No. 14 to 18 | per pair, 1.15 |
| Hollows and Rounds, No. 20 to 24 | per pair, 1.35 |
| Hollows and Rounds | per set of 9 pairs, 9.45 |
| Hollows and Rounds, skewed irons | per set of 9 pairs, 11.75 |



52, Grecian Ovalo and Bevel.

| $\frac{3}{8}$, | $\frac{1}{2}$, | $\frac{5}{8}$, | $\frac{3}{4}$, | $\frac{7}{8}$, | 1 | inch |
|-----------------|-----------------|-----------------|-----------------|-----------------|------|------|
| .70 | .75 | .80 | .85 | .95 | 1.05 | |

53, Grecian Ogee.

| $\frac{3}{8}$, | $\frac{1}{2}$, | $\frac{5}{8}$, | $\frac{3}{4}$, | $\frac{7}{8}$, | 1 | inch |
|-----------------|-----------------|-----------------|-----------------|-----------------|------|------|
| .60 | .65 | .75 | .75 | .90 | 1.00 | |



54. Table Planes, with gauge, $\frac{1}{2}$ and $\frac{5}{8}$per pair, \$1.35



55. Table Planes, with fence, $\frac{1}{2}$ and $\frac{5}{8}$per pair, \$1.65



56. Base Planes, or Ogee and Bevel.

| $\frac{3}{8}$. | $\frac{1}{2}$. | $\frac{5}{8}$. | $\frac{3}{4}$. | $\frac{7}{8}$. | 1 | inch |
|-----------------|-----------------|-----------------|-----------------|-----------------|-------|------|
| .75 | .80 | .90 | 1.00 | 1.10 | .1.25 | |



57. Reverse Ogee, or Lamb's Tongue.

| $\frac{1}{4}$. | $\frac{3}{8}$. | $\frac{1}{2}$. | $\frac{5}{8}$. | $\frac{3}{4}$. | $\frac{7}{8}$. | 1 | inch |
|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|------|------|
| .75 | .75 | .80 | .85 | .90 | 1.10 | 1.25 | |

Roman Ogee Com. and with fence, same price as Reverse Ogee.


58. Tooth Planes\$1.00



61. Carriage Makers' Smooth
Planes\$0.90



62. Carriage Makers' T Planes .
.....\$0.90



- 67, Nosing Planes, 1 iron\$1.00
 68, Nosing Planes, 2 irons 1.25



- 69, Dadoes, brass side stop, all sizes, $\frac{1}{4}$ to 1 inch\$1.10
 70, Dadoes, brass screw stop, all sizes, $\frac{1}{4}$ to 1 inch 1.50
 70a, Dadoes, brass screw stop, with solid handle, $\frac{1}{4}$ to 1 inch..... 2.50



- 74, Marking Gaugesper dozen, \$1.00

HANDLES.



- Firmer Chisel Handles, applewood, fancy brass ferrulesper dozen, \$.75
 Firmer Chisel Handles, boxwood or rosewood.....per dozen, 1.50



- Firmer Chisel Handles, octagon, applewoodper dozen, \$1.75
 Firmer Chisel Handles, octagon, boxwood or rosewood.....per dozen, 2.50
 Carving Tool Handles, applewood, brass ferrulesper dozen, .75
 Carving Tool Handles, boxwood or rosewood.....per dozen, 1.50



Socket Framing Chisel Handles, hickory, with iron rings.....per dozen 1.00



Socket Firmer Handles, applewoodper dozen, .50



Socket Firmer Chisel Handles, applewood, leather tipped.....per dozen, \$1.00

Socket Slick Handlesper dozen, 2.50

Turning Chisel Handlesper dozen, 1.50


BROAD AXES, HAND AXES, HATCHETS, Etc.




75, Broad Axes, No. 1, 6½ to 8 lbs., 10½ to 12 inch on cut.....\$2.75

75a, Broad Axes, No. 2, 5½ to 6½ lbs., 9 to 10½ inch on cut..... 2.50

Broad Axes, Pennsylvania pattern, same price as above.



75b, Broad Axes, Canada pattern, $6\frac{1}{2}$ to 10 lbs., 12 to 14 inch on cut..... 3.75



76, Hand Axes, or Bench Hatchets.

| | |
|--|--------|
| No. 1, $7\frac{1}{2}$ inches on cut, handled | \$1.85 |
| No. 2, 7 inches on cut, handled | 1.60 |
| No. 3, $6\frac{1}{2}$ inches on cut, handled | 1.35 |

| | |
|--|------|
| No. 4, 6 inches on cut, handled | 1.25 |
| No. 5, 5½ inches on cut, handled | 1.20 |
| No. 6, 5 inches on cut, handled | 1.10 |
| If double beveled, add | .15 |



| | No. 1 | No. 2 | No. 3 |
|---|--------|--------|--------|
| 78. Shingle Hatchets, solid cast steel, handled..... | \$0.95 | \$0.90 | \$0.85 |
| 78b, Claw Hatchets, steel laid, handled | .80 | .75 | .70 |
| 79. Half Hatchets, solid cast steel, handled | .95 | .90 | .85 |
| With creased heads, add 5 cents. | | | |
| 80. Lath Hatchets, solid cast steel, handled..... | .90 | .85 | .80 |
| 81. Lath Hatchets, Boston Pattern, solid cast steel, handled..... | \$1.25 | | |



| | |
|----------------------------|--------|
| 83. Carpenters' Adzes..... | \$2.00 |
|----------------------------|--------|

DRAWING KNIVES.



85. Carpenters' Knives, razor blades, 1¼ inch wide, applewood handles, capped and ferruled.

| 6, | 7, | 8, | 9, | 10, | 11, | 12, | 13, | 14, | 16 inch. |
|-----|-----|------|------|------|------|------|------|------|----------|
| .85 | .95 | 1.00 | 1.10 | 1.20 | 1.25 | 1.35 | 1.45 | 1.50 | 1.70 |

86, Coach Knives, razor blades, $1\frac{1}{4}$ to $1\frac{1}{2}$ inch wide, applewood handles, capped and ferruled.

| 6, | 7, | 8, | 9, | 10, | 11, | 12, | 13, | 14, | 16 | inch. |
|-----|------|------|------|------|------|------|------|------|------|-------|
| .95 | 1.00 | 1.10 | 1.20 | 1.25 | 1.35 | 1.45 | 1.50 | 1.60 | 1.75 | |

87, Narrow Carriage Knives, blades $\frac{3}{4}$ to 1 inch wide, applewood handles, capped and ferruled.

| 6, | 7, | 8, | 9, | 10, | 11, | 12, | 13, | 14 | inch. |
|-----|-----|------|------|------|------|------|------|------|-------|
| .85 | .95 | 1.00 | 1.10 | 1.20 | 1.25 | 1.35 | 1.45 | 1.50 | |

88, Wagon Makers' Knives, heavy blades, $1\frac{1}{4}$ to $1\frac{3}{4}$ inch wide, black walnut handles, capped.

| 6, | 7, | 8, | 9, | 10, | 11, | 12, | 13, | 14, | 16 | inch. |
|-----|------|------|------|------|------|------|------|------|------|-------|
| .95 | 1.00 | 1.10 | 1.20 | 1.25 | 1.35 | 1.45 | 1.50 | 1.60 | 1.75 | |

88a, Carriage Body Knives, with 3 bladeseach, \$4.00

In ordering Body Knives, state size of blade wanted.

CHISELS, SLICKS AND GOUGES.



91, Corner Chisels.

Solid cast steel, hickory handles, with rings.

| $\frac{1}{2}$, | $\frac{3}{4}$, | $\frac{7}{8}$, | 1, | $1\frac{1}{8}$, | $1\frac{1}{4}$ | inch. |
|-----------------|-----------------|-----------------|------|------------------|----------------|-------|
| \$1.20 | 1.25 | 1.35 | 1.45 | 1.50 | 1.65 | |



92, Socket Framing Chisels.

Hickory handles, with rings. The 1 inch is 8 inches long from shoulder.

| $\frac{1}{4}$, | $\frac{3}{8}$, | $\frac{1}{2}$, | $\frac{5}{8}$, | $\frac{3}{4}$, | $\frac{7}{8}$, | 1, | $1\frac{1}{4}$, | $1\frac{1}{2}$ | $1\frac{3}{4}$ | 2, | $2\frac{1}{4}$, | $2\frac{1}{2}$ | inch |
|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----|------------------|----------------|----------------|------|------------------|----------------|------|
| .50 | .55 | .60 | .65 | .70 | .70 | .75 | .80 | .85 | .95 | 1.00 | 1.20 | 1.35 | |

Grinding sharp, per dozen, 30c.

93, Socket Framing Chisels.

Solid cast steel, handled. The 1 inch is 8 inches long from the shoulder.

| | | | | | | | | | | | | | | |
|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|------|------------------|------------------|------------------|------|------------------|----------------|-------|
| $\frac{1}{8}$, | $\frac{1}{4}$, | $\frac{3}{8}$, | $\frac{1}{2}$, | $\frac{5}{8}$, | $\frac{3}{4}$, | $\frac{7}{8}$, | 1, | $1\frac{1}{4}$, | $1\frac{1}{2}$, | $1\frac{3}{4}$, | 2, | $2\frac{1}{4}$, | $2\frac{1}{2}$ | inch. |
| .70 | .75 | .80 | .85 | .90 | .95 | 1.00 | 1.00 | 1.15 | 1.30 | 1.50 | 1.75 | 2.00 | 2.25 | |

95, Carpenters' Slicks, Socket Handle.

| | | | | |
|------------------|------|------------------|------|-------|
| $2\frac{1}{2}$, | 3, | $3\frac{1}{2}$, | 4 | inch. |
| 1.85 | 2.10 | 2.50 | 3.00 | |

Grinding sharp, per dozen, 50c.

**96a, Solid Cast Steel Tanged Slicks.**

Trowel shank, beveled back, handled.

| | | | | |
|------------------|------|------------------|------|-------|
| $2\frac{1}{2}$, | 3, | $3\frac{1}{2}$, | 4 | inch. |
| 1.85 | 2.10 | 2.50 | 3.00 | |

Grinding sharp, per dozen, 50c.

**97, Socket Firmer Chisels**

Solid cast steel, applewood handles. The 1 inch is $6\frac{1}{2}$ inches long from shoulder.

| | | | | | | | | | | | | |
|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----|------------------|------------------|------------------|-----|-------|
| $\frac{1}{8}$, | $\frac{1}{4}$, | $\frac{3}{8}$, | $\frac{1}{2}$, | $\frac{5}{8}$, | $\frac{3}{4}$, | $\frac{7}{8}$, | 1, | $1\frac{1}{4}$, | $1\frac{1}{2}$, | $1\frac{3}{4}$, | 2 | inch. |
| .35 | .35 | .40 | .45 | .50 | .50 | .55 | .60 | .65 | .70 | .75 | .85 | |

Assorted to 2 inches, 9 in set, \$5.25; 12 in set, \$6.00.

Beveled back, extra, per doz., \$1.50.

Grinding sharp, per doz., 20c.



97, Set of 12 Beveled Back Socket Firmer Chisels \$7.50

98, Coach Makers' Socket Firmers.

Solid cast steel, hickory handles. The 1 inch is 7 inches long from shoulder.

| | | | | | | | | | | | | |
|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----|------------------|------------------|------------------|------|-------|
| $\frac{1}{8}$. | $\frac{1}{4}$. | $\frac{3}{8}$. | $\frac{1}{2}$. | $\frac{5}{8}$. | $\frac{3}{4}$. | $\frac{7}{8}$. | 1. | $1\frac{1}{4}$. | $1\frac{1}{2}$. | $1\frac{3}{4}$. | 2 | inch. |
| .55 | .60 | .65 | .70 | .75 | .75 | .85 | .90 | .95 | 1.00 | 1.10 | 1.20 | |

Assorted to 2 inches, 9 in set, \$8.00; 12 in set, \$9.50.

Beveled back, extra, per doz. \$2.00

Grinding sharp, per dozen, 25c

99, Millwrights' Socket Firmers.

Heavy blades, solid cast steel, hickory handles. The 1 inch is 8 inches long from shoulder.

| | | | | | | | | | | |
|------------------|-----------------|------------------|------------------|------------------|-----------------|------------------|------------------|------------------|----------------|-------|
| $\frac{1}{8}$. | $\frac{1}{4}$. | $\frac{3}{8}$. | $\frac{1}{2}$. | $\frac{5}{8}$. | $\frac{3}{4}$. | $\frac{7}{8}$. | 1. | $1\frac{1}{4}$. | $1\frac{1}{2}$ | inch. |
| .75 | .75 | .80 | .85 | .90 | .95 | 1.00 | 1.00 | 1.15 | 1.30 | |
| $1\frac{3}{4}$. | 2. | $2\frac{1}{4}$. | $2\frac{1}{2}$. | $2\frac{3}{4}$. | 3. | $3\frac{1}{4}$. | $3\frac{1}{2}$. | $3\frac{3}{4}$. | 4 | inch. |
| 1.50 | 1.75 | 2.00 | 2.25 | 2.50 | 2.75 | 3.00 | 3.25 | 3.50 | 3.75 | |

Assorted to 2 inches, 9 in set, \$10.00; 12 in set, \$12.50.

Beveled Back, extra, per dozen, \$3.00.

Grinding sharp, per dozen, 30c.

10 inch blades

| | | | | | | | | | | | | |
|------------------|------------------|------------------|-----------------|------------------|------------------|------------------|------|------------------|------------------|------------------|------|-------|
| $\frac{1}{8}$, | $\frac{1}{4}$, | $\frac{3}{8}$, | $\frac{1}{2}$, | $\frac{5}{8}$, | $\frac{3}{4}$, | $\frac{7}{8}$, | 1, | $1\frac{1}{4}$, | $1\frac{1}{2}$, | $1\frac{3}{4}$, | 2 | inch. |
| .90 | .90 | .95 | 1.00 | 1.05 | 1.10 | 1.15 | 1.20 | 1.35 | 1.55 | 1.80 | 2.10 | |
| $2\frac{1}{4}$, | $2\frac{1}{2}$, | $2\frac{3}{4}$, | 3, | $3\frac{3}{4}$, | $3\frac{1}{2}$, | $3\frac{3}{4}$, | 4 | inch. | | | | |
| 2.40 | 2.70 | 3.00 | 3.30 | 3.60 | 3.90 | 4.20 | 4.50 | | | | | |

Assorted to 2 inches, 9 in set, \$12.00; 12 in set, \$15.00.

12 inch blades

| | | | | | | | | | | | |
|-----------------|------------------|------------------|------------------|-----------------|------------------|------------------|------------------|------------------|------------------|----------------|-------|
| $\frac{1}{8}$, | $\frac{1}{4}$, | $\frac{3}{8}$, | $\frac{1}{2}$, | $\frac{5}{8}$, | $\frac{3}{4}$, | $\frac{7}{8}$, | 1, | $1\frac{1}{4}$, | $1\frac{1}{2}$, | $1\frac{3}{4}$ | inch. |
| 1.05 | 1.05 | 1.10 | 1.20 | 1.25 | 1.30 | 1.35 | 1.40 | 1.60 | 1.80 | 2.10 | |
| 2, | $2\frac{1}{4}$, | $2\frac{1}{2}$, | $2\frac{3}{4}$, | 3, | $3\frac{1}{4}$, | $3\frac{1}{2}$, | $3\frac{3}{4}$, | 4 | inch. | | |
| 2.45 | 2.80 | 3.15 | 3.50 | 3.85 | 4.20 | 4.55 | 4.90 | 5.25 | | | |

Assorted to 2 inches, 9 in set, \$14.00; 12 in set, \$17.50.

GOUGES.**101, Socket Firmer Gouges.**

Solid cast steel, appletree handles. Outside bevel. The 1 inch is $6\frac{1}{2}$ inches long from shoulder.

| | | | | | | | | | | | | |
|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----|------------------|------------------|------------------|------|-------|
| $\frac{1}{8}$, | $\frac{1}{4}$, | $\frac{3}{8}$, | $\frac{1}{2}$, | $\frac{5}{8}$, | $\frac{3}{4}$, | $\frac{7}{8}$, | 1, | $1\frac{1}{4}$, | $1\frac{1}{2}$, | $1\frac{3}{4}$, | 2 | inch. |
| .45 | .45 | .50 | .55 | .60 | .70 | .75 | .75 | .85 | .95 | 1.00 | 1.15 | |

Assorted to 2 inches, 9 in set, \$7.00; 12 in set, \$8.50.

Grinding sharp, per doz., 30c.; Grinding sharp, per doz., inside bevel, 50c.

102, Coach Makers' Socket Firmer Gouges.


Solid cast steel, hickory handles. Outside bevel. The 1 inch is 7 inches long from shoulder.

| | | | | | | | | | | | | |
|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|------|------------------|------------------|------------------|------|-------|
| $\frac{1}{8}$, | $\frac{1}{4}$, | $\frac{3}{8}$, | $\frac{1}{2}$, | $\frac{5}{8}$, | $\frac{3}{4}$, | $\frac{7}{8}$, | 1, | $1\frac{1}{4}$, | $1\frac{1}{2}$, | $1\frac{3}{4}$, | 2 | inch. |
| .60 | .65 | .70 | .75 | .80 | .90 | .95 | 1.00 | 1.15 | 1.20 | 1.25 | 1.35 | |


Assorted to 2 inches, 9 in set, \$8.75; 12 in set, \$11.00.

Grinding sharp, per doz., 35c.; Grinding sharp, per doz., inside bevel, 50c.


Full Sweep
 $\frac{1}{8}$ to 2 inches



Middle Sweep
 $\frac{1}{8}$ to 2 inches



Flat Sweep
 $\frac{1}{8}$ to 2 inches



103, Millwrights' Socket Gouges.

Solid cast steel, hickory handles. Inside bevel. The 1 inch is 8 inches long from shoulder.

| $\frac{1}{8}$, | $\frac{1}{4}$, | $\frac{3}{8}$, | $\frac{1}{2}$, | $\frac{5}{8}$, | $\frac{3}{4}$, | $\frac{7}{8}$, | 1, | $1\frac{1}{4}$, | $1\frac{1}{2}$, | $1\frac{3}{4}$, | 2 | inch. |
|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|------|------------------|------------------|------------------|------|-------|
| .80 | .80 | .85 | .90 | .95 | 1.05 | 1.15 | 1.25 | 1.30 | 1.45 | 1.60 | 1.90 | |

Assorted to 2 inches, 9 in set, \$11.00; 12 in set, \$13.75.

Grinding sharp, per doz., 50c.

10 inch blades

| $\frac{1}{8}$, | $\frac{1}{4}$, | $\frac{3}{8}$, | $\frac{1}{2}$, | $\frac{5}{8}$, | $\frac{3}{4}$, | $\frac{7}{8}$, | 1, | $1\frac{1}{4}$, | $1\frac{1}{2}$, | $1\frac{3}{4}$, | 2 | inch. |
|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|------|------------------|------------------|------------------|------|-------|
| .95 | .95 | 1.05 | 1.10 | 1.15 | 1.25 | 1.35 | 1.45 | 1.55 | 1.70 | 1.90 | 2.25 | |

Assorted to 2 inches, 9 in set, \$13.20; 12 in set, \$16.50.

12 inch blades

| $\frac{1}{8}$, | $\frac{1}{4}$, | $\frac{3}{8}$, | $\frac{1}{2}$, | $\frac{5}{8}$, | $\frac{3}{4}$, | $\frac{7}{8}$, | 1, | $1\frac{1}{4}$, | $1\frac{1}{2}$, | $1\frac{3}{4}$, | 2 | inch. |
|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|------|------------------|------------------|------------------|------|-------|
| 1.10 | 1.10 | 1.20 | 1.25 | 1.35 | 1.45 | 1.60 | 1.70 | 1.80 | 2.00 | 2.25 | 2.65 | |

Assorted to 2 inches, 9 in set, \$15.40; 12 in set, \$19.25.

**107, Firmer Chisels.**

Solid cast steel. The 1 inch is 6 inches long from the bolster.

| $\frac{1}{8}$, | $\frac{1}{4}$, | $\frac{3}{8}$, | $\frac{1}{2}$, | $\frac{5}{8}$, | $\frac{3}{4}$, | $\frac{7}{8}$, | 1, | $1\frac{1}{4}$, | $1\frac{1}{2}$, | $1\frac{3}{4}$, | 2 | inch. |
|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----|------------------|------------------|------------------|-----|-------|
| .15 | .15 | .15 | .20 | .20 | .20 | .25 | .25 | .35 | .45 | .50 | .60 | |

Assorted to 2 inches, 12 in set, \$3.30; assorted to $1\frac{1}{2}$ inch, 12 in set, \$2.50.

Handled, per dozen, extra, \$1.25. Beveled Back, extra, per doz., \$1.50.

Grinding sharp, per dozen, 20c.

108, Coach Firmer Chisels.

Solid cast steel. The 1 inch is 8 inches long from the bolster.

| $\frac{1}{8}$, | $\frac{1}{4}$, | $\frac{3}{8}$, | $\frac{1}{2}$, | $\frac{5}{8}$, | $\frac{3}{4}$, | $\frac{7}{8}$, | 1, | $1\frac{1}{4}$, | $1\frac{1}{2}$, | $1\frac{3}{4}$, | 2 | inch. |
|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----|------------------|------------------|------------------|------|-------|
| .25 | .25 | .25 | .30 | .30 | .35 | .40 | .45 | .60 | .75 | .85 | 1.05 | |

Assorted to 2 inches, 9 in set, \$4.35; 12 in set, \$5.80.

Handled, per dozen, extra, \$1.25. Beveled Back, extra, per doz., \$1.50.

Grinding sharp, per dozen, 20c.

109, Millwrights' Firmer Chisels.

Solid cast steel. The 1 inch is 9 inches long from the bolster.

| $\frac{1}{8}$, | $\frac{1}{4}$, | $\frac{3}{8}$, | $\frac{1}{2}$, | $\frac{5}{8}$, | $\frac{3}{4}$, | $\frac{7}{8}$, | 1, | $1\frac{1}{4}$, | $1\frac{1}{2}$, | $1\frac{3}{4}$, | 2 | inch. |
|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----|------------------|------------------|------------------|------|-------|
| .30 | .30 | .35 | .40 | .45 | .50 | .55 | .65 | .80 | 1.00 | 1.20 | 1.50 | |

Assorted to 2 inches, 9 in set, \$6.00; 12 in set, \$8.00.

Handled, per dozen, extra, \$1.25. Beveled Back, extra, per doz., \$2.00.

Grinding sharp, per dozen, 25c.

10 inch blades

| $\frac{1}{8}$, | $\frac{1}{4}$, | $\frac{3}{8}$, | $\frac{1}{2}$, | $\frac{5}{8}$, | $\frac{3}{4}$, | $\frac{7}{8}$, | 1, | $1\frac{1}{4}$, | $1\frac{1}{2}$, | $1\frac{3}{4}$, | 2 | inch. |
|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----|------------------|------------------|------------------|------|-------|
| .35 | .35 | .40 | .45 | .50 | .60 | .65 | .75 | .95 | 1.20 | 1.40 | 1.70 | |

Assorted to 2 inches, 9 in set, \$7.20; 12 in set, \$9.60.

12 inch blades

| $\frac{1}{8}$, | $\frac{1}{4}$, | $\frac{3}{8}$, | $\frac{1}{2}$, | $\frac{5}{8}$, | $\frac{3}{4}$, | $\frac{7}{8}$, | 1, | $1\frac{1}{4}$, | $1\frac{1}{2}$, | $1\frac{3}{4}$, | 2 | inch. |
|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----|------------------|------------------|------------------|------|-------|
| .40 | .40 | .45 | .50 | .60 | .70 | .75 | .85 | 1.10 | 1.40 | 1.65 | 2.00 | |

Assorted to 2 inches, 9 in set, \$8.40; 12 in set, \$11.20.

**113, Firmer Gouges.**

Solid cast steel, (full, middle or flat sweep.) Outside bevel. The 1 inch is 6 inches long from the bolster.

| $\frac{1}{8}$, | $\frac{1}{4}$, | $\frac{3}{8}$, | $\frac{1}{2}$, | $\frac{5}{8}$, | $\frac{3}{4}$, | $\frac{7}{8}$, | 1, | $1\frac{1}{4}$, | $1\frac{1}{2}$, | $1\frac{3}{4}$, | 2 | inch. |
|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----|------------------|------------------|------------------|-----|-------|
| .20 | .20 | .20 | .25 | .25 | .25 | .30 | .30 | .45 | .50 | .65 | .75 | |

Assorted to 2 inches, 9 in set, \$3.10; 12 in set, \$4.10.

Handled, per dozen, extra, \$1.25.

Gouges beveled inside, add per dozen, 25c.

Grinding sharp, per dozen, 25c.

Grinding sharp, inside bevel, per dozen, 50c.

114, Coach Firmer Gouges.

Solid cast steel. Outside bevel. The 1 inch is 8 inches long from the bolster.

| $\frac{1}{8}$, | $\frac{1}{4}$, | $\frac{3}{8}$, | $\frac{1}{2}$, | $\frac{5}{8}$, | $\frac{3}{4}$, | $\frac{7}{8}$, | 1, | $1\frac{1}{4}$, | $1\frac{1}{2}$, | $1\frac{3}{4}$, | 2 | inch. |
|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----|------------------|------------------|------------------|------|-------|
| .40 | .40 | .40 | .45 | .45 | .50 | .55 | .60 | .80 | .95 | 1.10 | 1.30 | |

Assorted to 2 inches, 9 in set, \$6.35; 12 in set, \$8.00.

Handled, per dozen, extra, \$1.25.

Gouges beveled inside, add per dozen, 25c.

Grinding sharp, per dozen, 30c.

Grinding sharp, inside bevel, per dozen, 50c.

115, Millwrights' Firmer Gouges.

Solid cast steel. Inside bevel. The 1 inch is 9 inches long from the bolster.

| $\frac{1}{8}$, | $\frac{1}{4}$, | $\frac{3}{8}$, | $\frac{1}{2}$, | $\frac{5}{8}$, | $\frac{3}{4}$, | $\frac{7}{8}$, | 1, | $1\frac{1}{4}$, | $1\frac{1}{2}$, | $1\frac{3}{4}$, | 2 | inch. |
|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----|------------------|------------------|------------------|------|-------|
| .45 | .45 | .50 | .55 | .60 | .65 | .70 | .80 | 1.00 | 1.20 | 1.45 | 1.70 | |

Assorted to 2 inches, 9 in set, \$8.75; 12 in set, \$10.50.

Handled, per dozen, extra, \$1.25.

Grinding sharp, per dozen, 50c.

10 inch blades

| $\frac{1}{8}$, | $\frac{1}{4}$, | $\frac{3}{8}$, | $\frac{1}{2}$, | $\frac{5}{8}$, | $\frac{3}{4}$, | $\frac{7}{8}$, | 1, | $1\frac{1}{4}$, | $1\frac{1}{2}$, | $1\frac{3}{4}$, | 2 | inch. |
|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----|------------------|------------------|------------------|------|-------|
| .50 | .50 | .55 | .60 | .70 | .75 | .80 | .95 | 1.15 | 1.40 | 1.70 | 2.00 | |

Assorted to 2 inches, 9 in set, \$10.50; 12 in set, \$12.60.


12 inch blades

| $\frac{1}{8}$, | $\frac{1}{4}$, | $\frac{3}{8}$, | $\frac{1}{2}$, | $\frac{5}{8}$, | $\frac{3}{4}$, | $\frac{7}{8}$, | 1, | $1\frac{1}{4}$, | $1\frac{1}{2}$, | $1\frac{3}{4}$, | 2 | inch. |
|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|------|------------------|------------------|------------------|------|-------|
| .60 | .60 | .65 | .75 | .80 | .90 | 1.00 | 1.10 | 1.35 | 1.65 | 2.00 | 2.35 | |

Assorted to 2 inches, 9 in set, \$12.25; 12 in set, \$14.70.

**Bevel Back Chisels.**

The extra charge for Bevel Backs on the different kinds of Chisels is given underneath the dozen prices of each kind.

**Trowel Shank Chisels and Gouges.**

For Trowel Shank on any style of Firmer Chisel or Gouge, add \$2.00 per dozen.

**116a, Butt Chisel.**

Beveled Back, polished handle, heavy brass ferrule.

| | | | | | | |
|-----------------|-----------------|-----|------------------|------------------|------------------|-----------|
| $\frac{1}{2}$, | $\frac{3}{4}$, | 1, | $1\frac{1}{4}$, | $1\frac{1}{2}$, | $1\frac{3}{4}$, | 2 inch. |
| .40 | .45 | .50 | .55 | .65 | .75 | .85 each. |

**118c, Stair Builders' Chisels.**

Set of 3. Sizes $\frac{7}{8}$, $1\frac{1}{8}$, $1\frac{1}{2}$ inch\$1.50

**118d, Stair Builders' Gouges.**

Set of 3. Sizes $\frac{3}{4}$, 1, $1\frac{1}{2}$ inch\$1.50

N. B.—Our complete line of Chisels and Gouges is not shown in this catalogue.

We also make them for pattern makers, ship carpenters and wood turners, besides a complete line of Addis Pattern Carving Tools.

SHIP BUILDERS' TOOLS.



| | | |
|-------|---|--|
| 209, | Ship Adzes, 4 to $4\frac{1}{2}$ inch cut |\$2.50 |
| 210, | Ship Adzes, with side lips, to 5 inches | 3.00 |
| 211, | Ship Axes | 3.00 |
| 211a, | Ship Scrapers | 1.00 |
| 212, | Ship Mauls, steel face |per lb., .25 |
| 213, | Ship Mauls, solid cast steel | $3\frac{1}{2}$ to $4\frac{1}{2}$ lbs. 1.40 |
| 214, | Calking Mallets, live oak, cast steel rings | 2.50 |

Calking Irons, 1
2 and 3 Crease

Sharp

Dumb or Deck

Bent or
Single Crook

Double Crook

Reefing or
Clearing

215, Calking Irons, solid cast steel, 1, 2 and 3 crease.....per dozen, \$10.00

CAST STEEL PLANE IRONS.



SINGLE IRON

Our Plane Irons are carefully ground and are bright all over.

217, Single and Cut Irons, bright.

| 1½, | 1¾, | 1⅞, | 2, | 2⅛, | 2¼, | 2⅜, | 2½, | 2⅝, | 2¾, | 2⅞, | 3 inch. |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|---------|
| .25 | .25 | .25 | .30 | .30 | .35 | .40 | .40 | .45 | .50 | .55 | .60 |



DOUBLE IRON

Our Double Plane Irons have a cast steel cap.

218, Double Irons, bright, cast steel caps.

| 1½, | 1¾, | 1⅞, | 2, | 2⅛, | 2¼, | 2⅜, | 2½, | 2⅝, | 2¾, | 2⅞, | 3 inch. |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|---------|
| .45 | .55 | .55 | .55 | .60 | .60 | .65 | .70 | .75 | .85 | .95 | 1.00 |


222, Tooth Plane Irons\$.45

227, Plow Bitsper set of 8, 2.00

We also make Plane Irons for the different makes of Iron Planes.



| | |
|---|--------|
| 282, Countersinks, for brace | \$.15 |
| Countersinks, for brace, for wood | .20 |
| Reamers, for brace, for wood | .25 |
| 283, Reamers, for brace, square | .15 |
| 284, Screw Driver Bits | .15 |
| 284a, Scratch Awls | .12 |
| 284b, Socket Scratch Awls | .20 |
| 284c, Nail Sets | .12 |
| 284d, Hand Reamers, handled | .20 |



Over Forty years of Comfort and Satisfaction in his daily work!

Above we give cuts of chisels made from photographs—one a new chisel, the other one that has been in use for many years. The photographs were taken on one plate at the same time to show the exact relative lengths. The old one belongs to an old employee, a maker of planes, etc., working in our plane shop, who began work in 1869, and at that time bought a set of Barton Chisels, and he is still using with satisfaction some of these old chisels, bought over forty years ago! He states that he would have used a half dozen or more cheap chisels in that time, which goes to prove that there is no economy in cheap tools. He has had the pleasure of using these fine tools with the keen hard edges for over forty years, at a much less money outlay than a lot of quickly worn-out tools would have cost.